ADDITIONS TO THE VASCULAR FLORA OF JASPER COUNTY, INDIANA. Π_{-1}

WINONA H. WELCH. DePauw University

All specimens upon which the following enumeration is based have been collected by the author and deposited, with data, in the Herbarium of DePauw University.

In May, 1934, the genera Carex and Scirpus in the DePauw Herbarium were lent, for critical study, to Prof. Frederick J. Hermann, University of Michigan Botanic Gardens and Arboretum, and Sister Mary St. Leona Thornton, Mundelein College, Chicago, respectively.

Upon the basis of the determinations made by Prof. Hermann, the species of Carex collected in Jasper County, Indiana, by the author are: *Carex annectens Bicknell, *C. blanda Dewey, *C. brevior (Dewey) Mack., *C. Buxbaumii Wahl., C. cephalophora Muhl., *C. convoluta Mack., C. cristatella Britton, *C. Haydeni Dewey, C. hystricina Muhl., C. lanuginosa Michx., *C. Longii Mack., C. lupulina Muhl., C. normalis Mack., C. scoparia Schkuhr., *C. suberecta (Olney) Britton, C. Swanii (Fernald) Mack., C. tribuloides Wahl., C. vesicaria L., C. virescens Muhl., and C. vulpinoidea Michx.

According to the determinations of Sister Mary St. Leona Thornton the following are the species of Scirpus which the author has collected in Jasper County. Scirpus atrovirens Muhl., S. cyperinus (L.) Kunth., S. lineatus Michx., *S. occidentalis (S. Wats.) Chase, and S. Smithii Gray, var. setosus Fernald.

The following plants have not been reported heretofore from Jasper County by the author:

Primulaceae: Samolus floribundus HBK.

Compositae: Bidens vulgata Greene, var. puberula (Wiegand) Greene, Gnaphalium purpureum L., and Tragopogon pratensis L.

¹For previous papers of this series, see Proc. Ind. Acad. Sci. 36:214, 1927; 40:119. 1931. *Not previously reported in Jasper County by the author.