



Proceedings
of the
Indiana Academy of Science



PROCEEDINGS OF THE INDIANA ACADEMY OF SCIENCE

The *PROCEEDINGS OF THE INDIANA ACADEMY OF SCIENCE* is a journal dedicated to promoting scientific research and the diffusion of scientific information, to encouraging communication and cooperation among scientists, and to improving education in the sciences.

EDITOR: **James W. Berry**, Department of Biological Sciences, Butler University, Indianapolis, Indiana 46208. Telephone: (317)-940-9344; FAX: (317)-940-9519; e-mail: jwberry@butler.edu

EDITORIAL BOARD: **Hans O. Anderson** (Indiana University, Bloomington); **Robert F. Dale** (Purdue University, West Lafayette); **Rebecca Dolan** (Butler University); **Kara W. Eberly** (St. Mary's College); **Uwe J. Hansen** (Indiana State University); **Daryl R. Karns** (Hanover College); **N. Gary Lane** (Indiana University, Bloomington); **Wilton N. Melhorn** (Purdue University, West Lafayette); **Paul Rothrock** (Taylor University); **Thomas P. Simon** (U.S. Fish & Wildlife Service, Bloomington); **Michael R. Tansey** (Indiana University, Bloomington); **Robert D. Waltz** (Indiana Department of Natural Resources, Indianapolis); **J. Dan Webster** (Hanover College); **Harmon Weeks** (Purdue University, West Lafayette); **John O. Whitaker, Jr.** (Indiana State University)

THE INDIANA ACADEMY OF SCIENCE

PRESIDENT: Edwin R. Squiers (Taylor University)

PRESIDENT-ELECT: Terry West (Purdue University)

TREASURER: Edward L. Frazier (Indianapolis)

SECRETARY: Nils I. Johansen (University of Southern Indiana)

EXECUTIVE DIRECTOR: Nelson R. Shaffer (Indiana Geological Survey)

ARCHIVIST: Holly Oster (Indiana State Library)

EXCHANGE ITEMS: Items sent in exchange for the *Proceedings* and correspondence concerning exchange arrangements should be sent to the Indiana Academy of Science, John S. Wright Memorial Library, 140 North Senate Avenue, Indianapolis, Indiana 46204.

Cover photo: Deeply incised and meandering channel on upstream edge of Flat Rock, Hindostan Falls, Martin County, Indiana. The channel is about 0.5 m at its deepest and becomes shallower down-valley. It is proposed that these channels on the surface of Flat Rock were formed by glacial melt-water under a confining layer of ice near the margin of a pre-Wisconsinan glacier. (See related paper on page 1.)

Publication date: 19 December 2001

This paper meets the requirement of ANSI/NISO Z39.48-1992 (Permanence of Paper).