and tunnels made by this turtle. The eggs are laid later in the summer and farther from the water than those of the other species. Many were leaving the water in late August; the eggs were found but once.

Malaclemmys geographica LeSueur. Next to Chrysemys the most abundant of the turtles. It goes by the appropriate name of Housetop.

Emys blandingii Holbrook. Found in moderate numbers in the lake and along the banks of Turkey Creek.

Clemmys guttata Schneider. But two specimens were seen.

Cistudo carolina Linnaeus. One specimen of this species was taken. It, however, in no sense forms a part of the fauna of the lake.

WATER BIRDS OF TURKEY LAKE. BY F. M. CHAMBERLAIN.

The following birds were taken between July 1 and September 1, on or near Turkey Lake. Only those of more or less aquatic habits are listed:

- 1. Hydrochelidon nigra L.
- 2. Botaurus lentiginosus Montaga.
- 3. Botaurus exilis Gmelin.
- 4. Ardea virescens L.
- 5. Rallus elegans Audubon.
- 6. Rallus virginianus L.
- 7. Gallinula galeata Lichtenstein.
- 8. Fulica americana Gmelin.
- 9. Actitis macularia L.
- 10. Aegilites vocifera L.
- 11. Ceryle aleyon L.
- 12. Agelaius phoenicus L.
- 13. Clivicola riparia L.
- 14. Cistothorus palustris Wilson.