

MANUSCRIPT REVIEWERS

VOLUME 106, NUMBERS 1-2 AND 3-4

Gary G. Bard	Taylor University-Fort Wayne	Fort Wayne, Indiana
Rita Barr	Purdue University	West Lafayette, Indiana
Hugh J. Brown	Ball State University	Muncie, Indiana
Stanley L. Burden	Taylor University	Upland, Indiana
John S. Castrale	IDNR, Division of Fish and Wildlife	Mitchell, Indiana
James R. Curry	Franklin College	Franklin, Indiana
Rebecca Dolan	Butler University	Indianapolis, Indiana
Kara Eberly	Saint Mary's College	Notre Dame, Indiana
Thomas Fogle	Saint Mary's College	Notre Dame, Indiana
Michael Foos	Indiana University East	Richmond, Indiana
Teresa Forsyth	Indiana University Southeast	New Albany, Indiana
James R. Gammon	DePauw University	Greencastle, Indiana
Larry R. Ganion	Ball State University	Muncie, Indiana
Scott Gordon	University of Southern Indiana	Evansville, Indiana
Robert D. Hall	IUPUI	Indianapolis, Indiana
Richard Jensen	Saint Mary's College	Notre Dame, Indiana
Matthew T. Klein	IDEM, Hazardous Waste Section	Indianapolis, Indiana
Gene Kritsky	College of Mount Saint Joseph	Cincinnati, Ohio
C.W. Lovell	Purdue University	West Lafayette, Indiana
Paul C. MacMillan	Hanover College	Hanover, Indiana
Bill N. McKnight	Park Tudor School	Indianapolis, Indiana
Jim Mitchell	IDNR, Division of Fish and Wildlife	Bloomington, Indiana
Allen R. Parker	IDNR, Division of Fish and Wildlife	Bloomington, Indiana
John R. Pichtel	Ball State University	Muncie, Indiana
Phillip E. Pope	Purdue University	West Lafayette, Indiana
John A. Ricketts	DePauw University	Greencastle, Indiana
Victor Riemenschneider	Indiana University South Bend	South Bend, Indiana
Deborah D. Ross	IUPUI-Fort Wayne	Fort Wayne, Indiana
Paul Rothrock	Taylor University	Upland, Indiana
Neil Sabine	Indiana University East	Richmond, Indiana
Damian Schmelz	St. Meinrad College	St. Meinrad, Indiana
Darrell G. Schulze	Purdue University	West Lafayette, Indiana
Thomas Simon	U.S. Fish and Wildlife Service	Bloomington, Indiana
William L. Stoller	Indiana University Kokomo	Kokomo, Indiana
Kevin Strunk	Wabash Resources and Consulting	Indianapolis, Indiana
Michael Tansey	Indiana University	Bloomington, Indiana
Robert Togasaki	Indiana University	Bloomington, Indiana
Robert D. Waltz	IDNR, Division of Entomology	Indianapolis, Indiana
J. Dan Webster	Hanover College	Hanover, Indiana
Harmon P. Weeks, Jr.	Purdue University	West Lafayette, Indiana
Steven C. Weller	Purdue University	West Lafayette, Indiana
Terry West	Purdue University	West Lafayette, Indiana
John O. Whitaker, Jr.	Indiana State University	Terre Haute, Indiana

INDEX
PROCEEDINGS OF THE INDIANA ACADEMY OF SCIENCE
VOLUME 106 (1-2 and 3-4)

- Absorption of cerebrospinal fluid, 161
Academy of Natural Sciences, Philadelphia, 263
Acanthocephalus dirus, enterogastric worm which parasitizes the spottail darter, 154
Acer
 nigrum, 202
 rubrum, 269
 saccharum, 202, 269, 270
 Crooked Creek Community Juan Solomon Park, found in mesic upland woods in, 4
 dominant in the ravines of Brown County State Park, 41
 effect of white-tailed deer on, 40
Achillea millefolium, 271
Acorns, preferred food of white-tailed deer, 40
Acres Land Trust, 267
Adiantum pedatum, an indicator of deer browsing in Brown County State Park, 42, 45
Advertisements, their influence on self-monitors, 303, 305
Aerial censusing of deer populations
 cost of, 202
 recommendations for improving, 210
Aerial Censusing of White-Tailed Deer and Comparison to Sex-Age-Kill Population Estimates in Northern Indiana, 201
Aesculus glabra, 270
Agaricaceae, malate synthase activity in, 192, 193
Agarics
 malate synthase activity in, 191
 species used in the study of malate synthase activity, 192
Agelastica alni, the effect of the trichomes on *Alnus incana* on the feeding and oviposition of, 86
Agricultural Research Center, Purdue University, 309
Agronomy Department, Purdue University, 253
Akron High School, 327
Alkalinity of water in northwestern Indiana, 61
Allegheny Plateau, effect of deer browsing on the vegetation of the, 50
Allen County
 Banstetters Reserve, 268
 Fogwell Forest Nature Preserve, 267
 Fox Island Nature Preserve, 269, 271
Alliaria
 officinalis
 herbaceous dominant in
 Pokagon State Park, 226
 Versailles State Park, 220
 Whitewater State Park, 222
 not consumed by deer, 226
 percent cover in Indiana State Parks, 227
 petiolata
 control plan for, 5
 invasive exotic, 4
Alnus incana, effect of its trichome density on the feeding and oviposition of *Agelastica alni*, 86
Alternaria tenuissima, a secondary pathogen of soybeans, 85, 92
Alum Cave Limestone, 248
 basin-wide marker, 248
 characteristics of, 250
 flooding surface over the Springfield Coal, 250
 represents marine transgression, 250
Amanitaceae, malate synthase activity in, 192, 193
American goldfinch
 impact of the house finch on, 67
 impact on the house finch, 75
Amur bush honeysuckle, 1, 5
 control plan for, 5
 growth-inhibiting chemical, 5
Anemone, rue, 331
Anemonella thalictroides, 331
Antennaria plantaginifolia, 331
Anthropogenic contamination
 lead not very mobile or bioavailable in soil, 238
 organically bound cadmium in soils suffering, 239
 trace metals in soils suffering from, 233
Aphylophorales, malate synthase activity in, 196
Arachnoid granulations (also see arachnoid villi)
 calves, in, 170, 171
 endothelium-lined tubes in mammalian, 169
Arachnoid villi
 calves, in, 171
 characteristics of, 162
 closed/open system of cerebrospinal fluid flow, 170, 171
 closed system hypothesis of cerebrospinal fluid flow through, 162
 general features used in transport, 167
 human arachnoid villi, 162, 171
 macrophages, their function in, 172
 open system hypothesis of cerebrospinal fluid flow through, 162, 168
 squirrel monkey, in, 161
Arisaema triphyllum
 Fogwell Forest Nature Preserve, found in, 270
 herbaceous dominant in
 Brown County State Park, 224
 State Parks of the Southwestern Natural Region, 218
 indicator of deer browsing in Brown County State Park, 42

- Arkansas, State Geologist of, 264
- Asarum canadense*
 Fogwell Forest Nature Preserve, found in, 270
 herbaceous dominant in
 Clifty Falls State Park, 222
 McCormick's Creek State Park, 222
 Spring Mill State Park, 222
 Versailles State Park, 220
- Ash, white, 331
 Brown County State Park, dominant in the ravines of, 41
- Ashton, John W., 131
- Asimina triloba*
 Brown County State Park, in, 48
 deer, not eaten by, 218
 Harmonie State Park, saplings dominant in, 218
- Aster*
cordifolius, 270
lateriflorus, 270
macrophyllus, 331
pilosus, 270
sagittifolius, 331
- Athyrium pycnocarpon*
 Fogwell Forest Nature Preserve, found in, 270
 Versailles State Park, herbaceous dominant in, 220
- Atmospheric deposition of trace metals, 233, 234
- Auto-related facilities, sources of lead, cadmium, and zinc soil contamination, 233
- Autumn olive, 331
 exotic, invasive, 331
- Ayers, Catharin Alice (Briscoe), 117
- Badger, Kemuel, 191
- Bain, Wilfred C., 128
- Bandoli, James H., 145
- Banstetters Reserve, 268
- Bass Lake, chemical and physical limnology of, 54
- Bat, big brown (*Eptesicus fuscus*)
 emergence as related to
 rainfall, 83
 season, 79, 83
 temperature, 82
 weather, 79, 82
 exit time, 82
 fall decline in emergence, 83
 hibernation
 clustering during, 323
 favorite spots, 320, 321
 period, 79
 repeated hibernation at the same roost an exception, 320
 Jamestown Church, Putnam County, studied at, 79
 maternity colonies of, 79, 82
 Mecca School, Parke County, studied at, 79
 Roachdale Presbyterian Church, Putnam County, studied at, 79
- Scotland Hotel, Greene County, studied at, 79
 summer maternity colony at Williamsport, Warren County, 319
 time required to exit a roost, 82
 trees, their earliest evolutionary hibernacula, 324
 winter colony
 number present
 increases over a series of mild winters, 321, 324
 lower in winter than in summer, 323
 sex ratios in, 323
 Williamsport, Warren County, at, 319
 winter movement normal behavior, 323
- Batch extraction of lead, 99
- Battery (lead) contaminated soil, 99
- Bean leaf beetle
 feeding behavior on soybean pods, 85, 90, 92
 vector for bean pod mottle virus, 85
- Beans, yield of
 common, 141
 long, 141
- Bechtel, Glenn A., 291
- Beech, 202
 dominant in the ravines of Brown County State Park, 41
- Beetle
 bean leaf beetle
 feeding behavior on soybean pods, 85, 90, 92
 vector for bean pod mottle virus, 85
 cereal leaf beetle, effect of wheat leaf trichome density on oviposition, egg viability, larval survival, and behavior of, 86
 flea beetle
Brassica, feeding on wild, 86
 mustard plants, feeding on, 86
 Japanese beetle, soybean foliar resistance to, 87, 92
 Mexican bean beetle, resistance of soybean plants to, 86
- Behavior, learned in white-tailed deer, 40
- Benzo(a)pyrene, a carcinogen, 175
- Berkshire Quartet, 131
- Big brown bat (*Eptesicus fuscus*)
 emergence as related to
 rainfall, 83
 season, 79, 83
 temperature, 82
 weather, 79, 82
 exit time, 82
 fall decline in emergence, 83
 hibernation
 clustering during, 323
 favorite spots, 320, 321
 period, 79
 repeated hibernation at the same roost an exception, 320
 Jamestown Church, Putnam County, studied at, 79

- maternity colonies, 79, 82
 Mecca School, Parke County, studied at, 79
 Roachdale Presbyterian Church, Putnam County, studied at, 79
 Scotland Hotel, Greene County, studied at, 79
 summer maternity colony at Williamsport, Warren County, 319
 time required to exit, 82
 trees, their earliest evolutionary hibernacula, 324
 winter colony
 number present
 increases over a series of mild winters, 321, 324
 lower in winter than in summer, 323
 sex ratios in, 323
 Williamsport, Warren County, at, 319
 winter movement normal behavior, 323
 Big Creek drainage in Posey County, 257
 Big leaved aster, 331
 Bird(s)
 browsing by white-tailed deer has a negative impact on bird populations, 229
 feeders, their effect on bird population size, 74
 populations, factors that limit their size, 74
 Blenny, effect of male size on reproduction in the redlip, 154
 Blount-Pewamo Soil Association, 269
 Blount silt loams, 269
 Bluegrass
 Canada, 331
 Kentucky, 331
 Bluegrass Natural Region
 deer studies in the, 215
 vegetation in the State Parks of the, 218
 Bluffton Till Plain Section, 269
 "Boatload of Knowledge," 260, 262
 Bog, Cowles, 56, 58
 Bog iron in northern Indiana, 262
 Bolbitiaceae, malate synthase activity in, 192, 193
 Botanical inventory of the Crooked Creek Community Juan Solomon Park, 1
 Brackish water, 61
Brassica, flea beetle (*Phyllotreta cruciferae*) feeding on wild, 86
 Brazil Formation limestone, 105
 age, 109
 environment of deposition, 110
 marine influences on, 111
 shape and orientation, 110
 Briscoe
 Herman T.
 academic freedom, 129, 130
 addresses to students, teachers, and chemistry professionals, 119
 alchemy, 117
 birthplace, 114
 budgetary control, 126
 cerebral hemorrhage (also called a stroke), 121, 126
 chemical explosives, work on, 114
 Chemistry Department
 Chairman of the Indiana University, 121
 functions of the Indiana University, 123
 Dean Bain's eulogy for, 128
 Dean of the Faculties, 120, 121
 death of, 131
 doctoral thesis, 114, 115
 Goth, his portrait by Marie, 131
 Graduate School, 129
 graduate students of, 115
 graduate studies, 114
 Health, Physical Education, and Recreation, School of, 128
 Indiana University, student at, 114
 Music, School of, 128
 Officers Training Program, 114
 Optometry, School of, 128
 Orah (Cole) Briscoe, 116, 130
 Phi Beta Kappa, elected to, 114
 philosophy of teaching, 118
 President Wells' eulogy for, 131
 Professor of Chemistry, 117
 religious views of, 119
 report on the status of the Indiana University Chemistry Department in 1938, 122
 research, its role in the university, 133
 retirement address of, 131-133
 scientific papers of, 115, 116
 Self-Survey Committee of Indiana University, 119, 120, 121, 126, 128
 Shouls High School, pupil, teacher, principal, and superintendent of, 114
 teachers, the responsibilities of, 132
 teaching experience, early college, 114
 textbooks written by, 117, 118
 University (Junior) Division, 120, 126, 127
 Vice-President, Dean of the Faculties, 121
 War Manpower Commission, 127
 War Manpower Training Bureau, Director of, 127
 James Frederick, 117
 Orah (Cole), 116, 130
 Robert Herman, 117
 William Cole, M.D., 117
 Brome, smooth, 271, 331
Bromus inermis, 271, 331
 Brown, Shannon E., 39
 Brown County State Park
 carrying capacity for white-tailed deer, 49
 deer
 browsing, effect of, 39, 214
 numbers declining in, 214
 Deer Study Committee's recommendations for, 40, 41

- ground flora, percent cover of the, 39, 43
herbaceous cover significantly reduced in, 222
limited deer hunt in, 41
mature height of selected plant species in, 39
oak-hickory forest in, 41
plant study plots in, 216
recruitment of woody species into larger size classes in, 39
species richness
 ground flora, of the, 44
 significantly lower in, 222
woody stems, significantly fewer per hectare in, 222
- Browsing pressure, relief from, 40
- Bryan, William Lowe, 131
- Buffalo Trace to New Harmony, 261
- Bullhead, effect of male size on reproduction in the river, 154
- Bull Island cutoff endangers New Harmony, 260
- Burgdorf, Shirley J., 201
- Bynum, Frank, 327
- Cadmium
 auto-related facilities, released by, 233
 concentrated in upper soil layers, 234
 concentration in northwestern Indiana, 238
 contamination from fossil fuel combustion, 233
 Delaware County, Indiana
 contamination of the soils in, 233
 location of highest concentration in, 238, 240
 electroplating, source of contamination by, 233
 immobile contaminant in soil, 233, 239
 metallurgical activities, source of contamination by, 233
 pH, its effect on cadmium's mobility in soil, 239
- Cajanus indicus* yields, 139
- Calumet Lacustrine Plain, 54
- Canada bluegrass, 331
- Candelaria concolor*, common lichen at Hoosier Prairie State Nature Preserve, 27
- Carbondale Formation as described in Illinois, 247
- Carbondale Group in
 Illinois, 248
 Indiana
 coals laterally replaced by sandstone, 248
 components of, 247, 248
 continuity of the coal and limestone members of, 248
 depo-center for, 251
 flooding of the coal swamps of, 247
 limestones laterally replaced by fossiliferous shales, 248
 most coals overlain by limestone basin wide, 248
 thickness, 249, 251
 Kentucky, 248
- Cardamine concatenata*, 270
- Carex*
 bromoides, 270
 cephalophora, 331
 grayi, 270
 muskingumensis, 270
 pennsylvanica, 272, 331
 picta, dominant in the uplands of Brown County State Park, 41
 woodii, 270, 272
- Carpinus caroliniana*, 270
- Carpodacus mexicanus*
 American goldfinch, impact on, 67
 conjunctivitis, contagious, 75
 crops, effect on in
 California, 75
 Hawaii, 75
 diet, 75
 drought, its effect on population size in Indiana, 75
 exponential population growth in Indiana, 67, 72
 factors affecting the population size of, 74
 first appearance in Porter County, 67
 first recorded breeding in Adams County, 67
 house sparrow, impact on, 67, 68
 pox, its effect on, 75
 purple finch, impact on, 67
 winter movement, 73
- Carrying capacity exceeded by white-tailed deer in Indiana State Parks, 213
- Carya*
 glabra, 202
 ovata, 202, 270, 331
- Cassava, 135
- Caterpillar feeding behavior on *Solanum coccineum*, 91
- Cauliflower yield, 141
- Caves, hibernacula for *Myotis lucifugus* and *M. sodalis*, 324
- Central Corn Belt Plain Ecoregion, 54
- Central Till Plain Natural Region, 269
 Banstetters Reserve located in, 268
 Bluffton Till Plain Section of, 269
 deer studies in the, 215
 floral characteristics of, 267
 Fogwell Forest Nature Preserve located in, 267, 269
 Fox Island Nature Preserve located in, 269
 vegetation in the State Parks of, 224
- Ceratophyllum demersum* in Little Lake, northwestern Indiana, 58
- Cereal leaf beetle, effect of wheat leaf trichome density on oviposition, egg viability, larval survival, and behavior of, 86

- Cerebrospinal fluid
 closed/open system hypothesis for the flow of, 170, 171
 closed system hypothesis for the flow of, 162
 open system hypothesis for the flow of, 162, 168
 squirrel monkey, flow in, 161
 transcellular bulk flow, 161, 162
 transport in arachnoid villi, general features of, 167
- Cerotoma trifurcata*
 feeding behavior on soybean pods, 85, 90
 vector for the bean pod mottle virus, 85
- Chain O'Lakes State Park, herbaceous cover significantly lowered by deer browsing in, 224
- Charlestown State Park, deer hunting in, 214
- Checklists
 lichen flora of Hoosier Prairie State Nature Preserve, 29
 vascular plants in
 Crooked Creek Community Juan Solomon Park, 7
 Fogwell Forest Nature Preserve, 274
- Chelating agents
 bonding with heavy metal soil contaminants, 96
 factors that affect their efficiency when bonding with heavy metals, 96
 quantity needed due to competition at their binding sites with common soil metals, 99
- Chemical properties of soil that affect heavy metal mobility, 95, 96
- Chert, 106, 107
- Chestnut oak, dominant in the uplands of Brown County State Park, 41
- Chlamydomonas reinhardtii*
 137c, a wild-type strain of, 34
 CC1680 (*act1 ac80 mt-*), a clone of, 34
 DP2 (*trk2-1 act1 mt-*), a mutant, recombinant clone of, 34
 high K^+ requiring (*hkr*) mutant of, 34, 35
hkr gene unlinked to *trk2-1*, 35
 KDP5 (*trk2-1 mt+*), a potassium transport defective clone of, 34
 potassium transport systems in, 33
TRK2-1 hkr recombinant phenotype, 35
TRK2-1 wild type allele of, 35
- Christmas fern
 herbaceous dominant in
 Shades State Park, 224
 State Parks of the Southwestern Lowlands Natural Region, 218
 Turkey Run State Park, 224
 indicator of deer browsing in Brown County State Park, 43, 45
- Chromium
 batch extraction efficiency, 101
 bioavailable contaminant in soil, 233
- Delaware County, Indiana
 atmospheric deposition, a minor contributor to the soil contamination of, 241
 contamination in the soils of, 233, 240
 location of the highest concentration in, 242
 distributed evenly in soil, 234
 electroplating, source of contamination by, 233
 fossil fuel combustion, contaminant from, 233
 global baseline concentration in soil, 240
 largely insoluble or immobile in contaminated soil, 101, 102
 metallurgical activities, source of contamination by, 233
 removal efficiencies, 101
 removal from contaminated soil, 95
- Chrysomelid beetles, effect of trichome density on the feeding behavior of, 86
- Chrysophytes, 291
 Lake Monroe, Indiana
 most common species in, 297
 species list for, 293
Paraphysomonas runcinifera, a species new to North America, 297
 taxa known from Indiana, 297
- Chrysothrix* spp., 292, 293
- Cicely, sweet, an indicator of deer browsing in Brown County State Park, 42, 43, 45
- Cinna arundinacea*, 270
- Clark and Pine Natural Area, 55
- Classified forest, 269, 272
- Clavigralla tomentosicollis*, effect of the trichomes on the cowpea pod on the feeding behavior of the pod-sucking bug, 91
- Clay County
Fusulinella, found in, 106
 Lower and Upper Block Coals in, 106
- Clifty Falls State Park
 herbaceous dominants in, 222
 species richness significantly lower than in other State Parks in the Bluegrass Natural Region, 220
- Climate of northwestern Indiana, 55
- Climatological stations in Indiana
 Elwood, 310, 311, 312, 315
 Greencastle 1E, 310, 312, 315
 Greenfield, 311, 312, 315
 Indianapolis International Airport, 307, 312
 Kokomo 7SE, 310
 Perryville 4WNW, 310, 312, 315
 Terre Haute 8S, 310, 312, 315
 West Lafayette 6NW, 309, 310, 312, 315
 Whitestown, 307, 309, 310, 312
- Clinton, President Bill, 299, 303
- Coefficient of conservatism, 1, 3, 268, 271
 limitations of, 3
- Colby College, 114

- Colchester Coal Member, 247
 flooding surface over, 247, 250, 251
 Illinois, in, 247
 Raccoon Creek Group, marks the top of, 247
- Collett, John, State Geologist of Indiana, 265
- Collins, Ralph L., 131, 132
- Collinsonia canadensis*, 270
- Colombian Program of the Rockefeller Foundation, 253
- Colorado, deer censusing in pinyon-juniper woodland in, 207
- Common greenbrier
 dominant in the uplands of Brown County State Park, 41
 indicator of deer browsing in Brown County State Park, 43, 45
- Community structure, effect of deer browsing on, 213
- Conductivity of water in northwestern Indiana, 61
- Conjunctivitis, house finch susceptibility to contagious, 75
- Contamination of soils with trace metals, 233
- Coprinnaceae, malate synthase activity in, 192, 193
- Coprinus comatus*, the black-spored agaric most closely related to the species in the Lepiotaceae, 199
- Cornus florida*, 331
- Cortinariaceae, malate synthase activity in, 192, 193
- Corville, Mabel, 269
- County records, new for Indiana, 267, 271
 chrysophytes from Monroe County, 293
Stachys cordata, 267, 272
 vascular plants from Allen County, 267
- Covey, Angela, 95
- Cowles Bog, 56, 58
- Cowpea
 effect of its pod trichomes on the feeding behavior of the
 legume-pod borer, *Maruca testulalis*, 92
 pod-sucking bug, *Clavigralla tomentosicollis*, 91, 92
 yield of, 138, 139
- Cox, Edward Travers, State Geologist of Indiana, 264
- Crandall, Raelene M., 1
- Crataegus* spp., 271
- Crinoidal thickets, 110, 111
- Crooked Creek Community Juan Solomon Park, 1
- Cryptotaenia canadensis*, 270
- Curlew Limestone Member, 106
- Cystopteris fragilis* in mesic woods in Crooked Creek Community Juan Solomon Park, 4
- Dactylis glomerata*, 271
- Dale, Robert F., 307
- Daniels, Farrington, 123
- Danthonium spicata*, 331
- Danville Coal Member in
 Illinois, 247
 Indiana, 247
- Dan Wiersma, Pioneer Agronomist*, 253
- Darters
 fantail, 146, 153
 johnny, 146, 153, 155
 spottail, 145
 tessellated, 145
 waccamaw, 146, 155
- Daviess County, tidalites in, 110
- Day, Harry G., 113
- Daylight Savings Time, its effect on the consistency of climatic data, 313
- Deam, Charles, 269, 271, 272
- Deer, white-tailed, 39
 first modern hunt, 40
 generalist foraging strategy, 40
 influence on plant communities, 39, 48
 learned behavior, 40
 optimization model of foraging, 40
 preferred foods, 40
 selective foraging strategy, 40
- Degnan, William, 122
- DeJongh, Julie J., 175
- Delaware County, trace metal contamination of the soils of, 233
- Delleur, Jacques W., 253
- Depressional wetlands, limnology of four lakes in the Indiana Dunes National Lakeshore, 54
- Descriptors
 role, 299
 trait, 299
- Difference Between Malate Synthase Specific Activity of Light and Dark Spored Agarics is not due to Phenolic Contamination*, 191
- Distribution of Limestone in the Brazil Formation (Pennsylvanian) in the Subsurface of Southwestern Indiana and Western Kentucky*, 105
- Dogs
 arachnoid villi of, 169
 macrophages in, 172
- Dogwood, flowering, 331
- Do Indianapolis Airport Temperatures Represent Indiana's Energy Needs?*, 307
- Dolan, Rebecca W., 1
- Dole, Bob, Senator, 299, 304
- Drainage of cerebrospinal fluid, 161
- Drake well, Pennsylvania, 264
- Droste, John B., 247
- Drought, its effect on
 bird populations in
 Michigan, 75
 Wisconsin, 75
 house finch population size in Indiana, 75
- Dry-mesic upland forests in northern Indiana, 202
- Dryopteris* sp., 270
- Dry upland forest in northern Indiana, 202
- Dugger Formation, 247

- Eastern hemlock, effect of white-tailed deer on, 40, 50
- East Grand Calumet Lagoon
allochthonous input, 59
bathymetric map of, 56, 58
conductivity, 61
morphometric variables, 57, 58, 60
thermal stratification, lack of, 59
total phosphorous concentration in, 63
- Ecological Classification System
developed for the Pleasant Run Unit of Hoosier National Forest, 42
used for the identification of plant communities, 42
- Ecological factors that limit bird population size, 74
- Ecotonal forest, 270
- EDTA
ability to extract lead and chromium from contaminated soil, 95
extraction efficiency in removing lead as compared to that of NTA, 100, 103
- Effects of White-Tailed Deer on Plant Communities within Indiana State Parks*, 213
- Egg-clustering, a form of resource defense polygyny, 145
- Egg-clustering percids
fantail darter, 146, 153
johnny darter, 146, 153, 155
spottail darter, 145
tessellated darter, 145
waccamaw darter, 146, 155
- Ehrlich, Thomas, 129
- Elaeagnus umbellata*, 331
exotic, invasive, 331
- Electric potential of water in northwestern Indiana, 62
- Electroplating, source of cadmium, chromium, nickel, and zinc contamination, 233
- Ellington, Eric P., 329
- Elliott
John B., driving force behind the development of gravel roads in Posey County, 261
John S., constructed the steel truss bridge at New Harmony, 261
- Elocharis ovata*, found in the wetland at Crooked Creek Community Juan Solomon Park, 4
- Elymus hystrix*, 270
- Energy needs, estimating Indiana's winter heating needs, 307
- Engineering at New Harmony, Indiana, 257
- Eolian deposits in Posey County, 262
- Epilachna varivestis*, foliar resistance of soybeans to, 86, 92
- Eptesicus fuscus* (big brown bat)
emergence as related to
rainfall, 83
season, 79, 83
temperature, 82
weather, 79, 82
- exit time, 82
- fall decline in emergence, 83
- hibernation
clustering during, 323
favorite spots, 320, 321
period, 79
repeated hibernation at the same roost an exception, 320
- Jamestown Church, Putnam County, studied at, 79
- maternity colonies, 79, 82
- Mecca School, Parke County, studied at, 79
- Roachdale Presbyterian Church, Putnam County, studied at, 79
- Scotland Hotel, Greene County, studied at, 79
- summer maternity colony at Williamsport, Warren County, 319
- time required to exit roost, 82
- trees, their earliest evolutionary hibernacula, 324
- winter colony
number present
increases over a series of mild winters, 321, 324
lower in winter than in summer, 323
sex ratios in, 323
Williamsport, Warren County, at, 319
winter movement normal behavior, 323
- Erie Lobe, 269
- Erigenia bulbosa*, found in the mesic upland woods of Crooked Creek Community Juan Solomon Park, 4
- Erythronium americanum*, found in the mesic upland woods of Crooked Creek Community Juan Solomon Park, 4
- Etheostoma*
flabellare, an egg-clustering percid, 146
lepidum, embryo survival of, 155
nigrum, an egg-clustering percid, 146, 155
olmstedii
an egg-clustering percid, 145
role of subordinate males, 154
perlongum, an egg-clustering darter, 146, 155
rafinesquei, effect of water temperature on clutch size of, 155
- squamiceps*
breeding season of, 146
brood size of, 146, 153
fractional spawning of, 146
male size and reproductive success, 147, 149, 152, 153, 154
mate selection by females, 147, 153, 154
nest site fidelity, 154
nest size, its effect on reproduction, 147, 148, 149, 152, 154
parasitism in, 154

- reproduction, benefits of early, 155
- resource defense polygyny in, 145
- sexual dimorphism in, 146
- size variation and the time of spawning in, 150, 155
- Ethothi, C.U., 135
- Ethylenediaminetetracetic acid
 - ability to extract lead and chromium from contaminated soil, 95
 - extraction efficiency for lead as compared to that of NTA, 100, 103
- Euonymus fortunei*
 - control plan for, 5
 - invasive exotic at Crooked Creek Community Juan Solomon Park, 4
- Excavation, one method of removing contaminated soil, 95
- Exit time of the big brown bat (*Eptesicus fuscus*), 82
- Exotics
 - Amur bush honeysuckle, 1, 5
 - garlic mustard, 1, 5
 - wintercreeper, 1, 5
- Explosives, chemical, 114
- Exponential growth in the house finch population of Indiana, 72
- Ex-situ* methods for removing soil contaminants, 96
 - as effective as *in-situ* methods, 103
- Eyring, Henry, 123
- Factors Influencing Reproductive Success in Male Spottail Darters (Etheostoma squamiceps, Pisces, Percidae)*, 145
- Factors that limit bird population size, 74
- Fagus*
 - americana*, 270
 - grandifolia*, 202, 269
 - dominant in the ravines of Brown County State Park, 41
- Fall Creek Nature Preserve, 4
- Fall decline in the emergence of the big brown bat (*Eptesicus fuscus*), 83
- Federal Aid to Wildlife Restoration Act, 39
- Fern
 - Athyrium* sp., 270
 - Christmas fern
 - Brown County State Park, indicator of deer browsing in, 43, 45
 - herbaceous dominant in
 - Shades State Park, 224
 - State Parks of the Southwestern Lowlands Natural Region, 218
 - Turkey Run State Park, 224
 - Dryopteris* sp., 270
 - maidenhair fern, an indicator of deer browsing in
 - Brown County State Park, 42, 45
 - Onoclea* sp., 270
 - Thelypteris*, 270
- Festuca*
 - elatior*, 271
 - subverticillata*, 270
- Finch
 - California, effect of the house finch on crops in, 75
 - conjunctivitis, its effect on eastern house finch populations, 75
 - diet of the house finch, 75
 - drought, its effect on house finch population size, 75
 - exponential growth of the house finch population in Indiana, 67, 72
 - factors affecting house finch population size, 74
 - first appearance of the house finch in Porter County, 67
 - first breeding by the house finch in Adams County, 67
 - Hawaii, effect of the house finch on crops in, 75
 - house finch's impact on the purple finch, 67
 - pox, its effect on the house finch, 75
 - purple finch, effect of the house finch on, 67
 - winter movements of the house finch, 73
- Flatwood forest, 267, 269, 270
- Flea beetle, feeding on
 - mustard plants, 86
 - wild *Brassica*, 86
- Floristic Investigation of Crooked Creek Community Juan Solomon Park, Indianapolis, Indiana*, 1
- Floristic quality index, 268, 271
- Flowering dogwood, 331
- Fluted pumpkin, 135
- Fluvial deposits in Posey County, 262
- Fogwell, Glenn, 269
- Fogwell Forest Nature Preserve, 267
 - checklist of the vascular plants at, 274 ff.
 - classified forest, 269, 272
 - coefficient of conservatism at, 271
 - communities present, 270
 - Deam, visited by, 272
 - ecotonal forest, 270
 - floristic quality index of, 271
 - hydrology of, 268
 - old field community at, 270
 - Orchidaceae, 271
 - second-growth flatwood forest at, 267, 269, 270
 - soil
 - source in, 268
 - types in, 269
- Foraging strategy of white-tailed deer
 - generalist, 40
 - selective, 40
- Forest
 - classified, 269
 - cover, effect of deer density on, 203, 205
 - ecotonal, 270
 - flatwood, 267, 269, 270
 - upland, 269

- Fossil fuel combustion, a source of chromium, nickel, cadmium, and zinc contamination, 233
- Fox Island Nature Preserve, 269, 271
- Orchidaceae, 271
- Stachys nutallii*, 272
- Fragaria virginiana*, 271
- Franklin, Joseph, 129
- Fraxinus*
- americana*, 331
- Brown County State Park, dominant in the ravines of, 41
- pennsylvanica*, 269
- Fresh water, 61
- Fulton County, *Sistrurus catenatus catenatus* (eastern massasauga) reported from, 327
- Galium*
- aparine*, 270
- circaezans*, an indicator of deer browsing in Brown County State Park, 42, 45
- Garlic mustard, 1, 5
- control plan for, 5
- herbaceous dominant in
- Pokagon State Park, 226
- Versailles State Park, 220
- Whitewater State Park, 220
- not eaten by deer, 226
- percent cover in Indiana State Parks, 227
- Genesee Silt Loam, 2
- Genetic and Environmental Effects of Sidestream Smoke on Pup Survivorship of Three Inbred Strains of Mice*, 175
- Genetic composition, its effect on mouse pup survivorship, 175, 179, 186
- Genetic Evidence for Two Potassium Transport Systems in the Green Alga, Chlamydomonas reinhardtii*, 33
- George Heldferl's coal, 265
- Geranium maculatum*, 270
- Gilman, Henry, 123
- Glycine max*
- Alternaria tenuissima*, a secondary pathogen of, 85
- effect of bean pod mottle on, 85
- feeding behavior of the bean leaf beetle (*Certoma trifurcata*) on the pods of, 85, 90, 92
- foliar resistance to the Japanese beetle, 92
- foliar resistance to the Mexican bean beetle (*Epilachna varivestis*), 82, 92
- glabrous soybeans more resistant to the soybean pod borer, *Laspeyresia glycinivorella*, 92
- potato leafhopper favored by high trichome density on, 92
- Glyoxylate cycle in the basidiospores of the homobasidiomycetes, 191
- Goldfinch, American
- impact of the house finch on, 67
- impact on the house finch by, 75
- "Good Road" movement, 261
- Goth, Marie, her painting of Herman T. Briscoe, 131
- Grainstone, 108, 111
- Grasshoppers, 87
- Great tit, 74
- Greenbrier, common
- dominant in the uplands of Brown County State Park, 41
- indicator of deer browsing in Brown County State Park, 43, 45
- Greene County, big brown bat (*Eptesicus fuscus*) at the Scotland Hotel in, 79, 80
- Grand Calumet River, 57, 58
- Ground sampling of deer populations, rules for, 208
- Gucker, F.T., 118, 131
- Gypsum, 264
- Hall, Ford P., 127
- Hardy, Russel L., Director of Electrochemical Production at DuPont, 116
- Harmonie State Park, 262
- deer
- browsing, its effect in, 216, 229
- reduction in, 217
- herbaceous cover significantly less than in other State Parks in the Southwestern Lowlands Natural Area, 218
- pawpaw (*Asimina triloba*), a sapling dominant in, 218
- Harmonie, town of, see New Harmony
- Harper, Fowler V., 119
- Harvard University, 114
- Hastings, John, 129
- HATS, a saturable, high-affinity system of potassium transport in *Chlamydomonas reinhardtii*, 33
- Health, effect of trace metals on human, 244
- Heart-leaved aster, 331
- Heating degree days
- annual total for Indiana, 307
- downwind bias in seasonal, 317
- Indianapolis International Airport, increasing at, 313
- Heating fuel needs in Indiana, estimating, 307
- Heat islands, urban, 307, 308, 310
- Heavy metals
- chemical and physical properties that affect their mobility, 95, 96
- dissolution mechanisms, proton-enhanced, 99
- soil contamination by, 95
- Helianthus*
- annuus* yield, 141
- divaricatus*, 331
- tuberosus*, 271
- Helicopter, aerial censusing of deer populations using, 201
- Hellmann, Elizabeth A., 175
- Hemlock, effect of white-tailed deer on eastern, 40, 50

- Hepatica americana*, 331
- Herman T. Briscoe (1893-1960): *A Superior Role Model in Chemical Education and Academic Administration*, 113
- Herman T. Briscoe Memorial Professorship, 131
- Herrin Coal Member, flooding surface over, 247, 250, 251
- Hibernacula of the
 - big brown bat (*Eptesicus fuscus*), 319
 - Myotis lucifugus*, 324
 - Myotis sodalis*, 324
- Hibernation period of the big brown bat (*Eptesicus fuscus*), 79
- Hickory
 - pignut, 202
 - shagbark, 20, 331
- Highland Rim Natural Region
 - Brown County Hills Section, 41
 - deer studies in the, 215
 - vegetation of the State Parks of the, 222
- HKR gene for potassium transport in *Chlamydomonas reinhardtii*, 33
- hkr*
 - gene unlinked to *trk2-1*, 35
 - high K^+ requiring mutant of *Chlamydomonas reinhardtii*, 34, 35
- Hofstetter, Henry W., 128
- Homestead High School, 327
- Honeysuckle, Amur bush, 1, 5
 - control plan for, 5
 - growth-inhibiting chemical, 5
- Hoosier National Forest
 - carrying capacity of deer habitat in, 49
 - species richness of the
 - ground flora in, 44
 - woody species, 46
- Hoosier Prairie State Nature Preserve, lichen flora of, 25
- Horowitz, Alan S., 247
- Horst and graben bedrock topography, 257
- Houchin Creek Coal Member, flooding surface over, 247, 250, 251
- House finch
 - California, its effect on crops in, 75
 - conjunctivitis, contagious, 75
 - diet, 75
 - drought, its effect on the Indiana population of, 75
 - exponential growth in Indiana, 67, 72
 - factors affecting population size, 74
 - first appearance in Porter County, 67
 - first recorded breeding in Adams County, 67
 - Hawaii, its effect on crops in, 75
 - impact on the
 - American goldfinch, 67
 - house sparrow, 67, 68
 - purple finch, 67
 - pox, its effect on, 75
 - winter movement of, 73
- House sparrow
 - house finch's impact on, 67, 68
 - impact on the house finch, 75
 - population size, factors influencing, 74
- Hovey Lake State Park, 262
- Human arachnoid villi, 162, 169
 - macrophages in, 172
- Hunting
 - increases
 - mean percent cover of herbaceous species, 226
 - woody stem densities, 226
 - white-tailed deer density, its effect on, 214
- Hydrophyllum* spp., 270
 - macrophyllum*, 270
- Hyerczyk, Richard D., 25
- Hydrophoraceae, malate synthase activity in, 192, 193
- I Am! Therefore, I Vote! Self-Monitoring and 1996 Presidential Voting Choices*, 299
- Illinoisan
 - glaciation, 257
 - till in Posey County, 257
- Illinois Basin, 247
 - oil in the sandstones and limestones of, 265
 - Springfield Coal, a time plain in, 250
 - stratigraphic correlation of the coals in, 248
- Impact of White-Tailed Deer on Forest Communities Within Brown County State Park, Indiana*, 39
- Impatiens capensis*, 270
 - found in mesic upland woods in Crooked Creek Community Juan Solomon Park, 4
- Indiana Audubon Society, 68
- Indiana Dunes National Lakeshore, 25, 27
 - physical and chemical limnology of four natural lakes within the, 53
- Indiana Dunes State Park, 54, 55
- Indiana lakes
 - alkalinity, 61
 - Bass Lake, 54
 - conductivity, 61
 - East Grand Calumet Lagoon, 56
 - electric potential, 62
 - eutrophic status, 64
 - fill, its effect on, 62
 - Grand Calumet Lagoons, 56
 - Indiana Lakes and Streams Survey, 54
 - industrial waste, its effect on, 61
 - Lake Maxinkuckee, 54
 - Lake Monroe, 291, 292
 - Little Lake, 56
 - limnology, physical and chemical of, 63
 - Long Lake, 56
 - Middle Grand Calumet Lagoon, 56
 - National Lake Eutrophication Survey, 54, 63
 - slag rock, its effect on, 59, 61
 - thermal stratification, 63

- Indiana Lakes and Streams Survey, 54
 Indiana Medical Association, 128
 Indianapolis, Crooked Creek Community Juan Solomon Park, 1
 Indiana State Parks
 deer harvest in, 216
 distribution (uneven) of plant species in, 217
 white-tailed deer, effects of browsing by, 213
Indiana Water Resource: Availability, Uses, and Needs, The, 255
Influence of K Fertilizer Levels and Plant Density on the Yield and Mineral Content of the Leaves and Vines of the Fluted Pumpkin, Telfairia occidentalis Hook., 135
 Information processing strategy, automatic, 302, 303
In-situ methods for removing soil contaminants, 96
 as effective as *ex-situ* methods, 103
 Iron making near Terre Haute, 262
 Irrigation, 253
 its effect on the yield of the fluted pumpkin, 137
 Ivy, poison, 3
- Jack-in-the-pulpit
 deer browsing in Brown County State Park, indicator of its extent, 42, 45
 herbaceous dominant in
 Brown County State Park, 224
 State Parks of the Southwestern Natural Region, 218
 Jamestown Church, Putnam County, big brown bat (*Eptesicus fuscus*) studied at, 79, 80
 Jankowski, Robert N., 53
 Japanese beetle feeding on soybeans, 87, 92
 Jarial, Mohinder S., 161
Jeffersonia diphylla, herbaceous dominant in Versailles State Park, 220
 Johansen, Nils I., 257
Juglans nigra, 270
 Juniper, 207
Juniperus osteosperma, 207
Justicia americana, found in lowland sandy areas of the Crooked Creek Community Juan Solomon Park, 4
- Kentucky bluegrass, 331
 Kentucky, State Geologist of, 264
 K fertilizer levels, their effect on yield and mineral content in the fluted pumpkin, 135, 138
 Kinsey, Alfred C., 130
 Klopfenstein, Mildred, 269
 Kohlmeier, A.L., 127, 131
- LaGrange County, *Sistrurus catenatus catenatus* (eastern massasauga) reported from, 327
 Lake Chicago, 56
 Lake County, Hoosier Prairie State Nature Preserve, lichen flora of, 25
- Lake Maumee, 259
 Lake Maxinkuckee, chemical and physical limnology of, 54
 Lake Michigan Border Section of the Northwestern Morainal Natural Region, 54
 Lake Monroe
 physicochemical data for, 292
 silica-scaled chrysophytes of, 291
 Lakes, chemical and physical limnology of glacial lakes in
 Indiana, 54
 Michigan, 53
 Minnesota, 53
 Wisconsin, 53
 Languell, Lucile B., 125
Laportea canadensis, 270
Laspeyresia glycinivorella, resistance of glabrous soybeans to the soybean pod borer, 92
Lathyrus ochroleucus (pale vetchling peavine)
 characteristics, diagnostic, 330
 habitat of, 330
 range
 natural, 329
 original distribution in Indiana, 330
 southern limit, 329
 reported from
 Illinois, 329
 Indiana, northern, 329
 Michigan, 329
 Ohio, 330
 Wisconsin, 329
 status upgraded to endangered, 329, 331
 white-tailed deer, consumed by, 331
 LATS, a non-saturable, low-affinity system of potassium transport in *Chlamydomonas reinhardtii*, 33
 Lead
 auto-related facilities, released by, 233, 236
 batch extraction efficiency, 99
 concentrations
 global baseline for, 236
 highest, 236, 238
 northwestern Indiana, in, 236
 roads, along, 236
 upper soil layers, in, 234, 237
 Delaware County, Indiana, contamination in the soils of, 233
 factors influencing its movement in soil, 237
 gasoline, in, 233
 immobile contaminant in soil, 233, 237
 removal
 contaminated soil, from, 95
 efficiencies, 98, 101
 solubilization, 99
 Leaded gasoline, 233
 Leafhopper, potato, effect of soybean trichome density on, 92
 length on, 92

- Leibacher
 Brian, 79
 Priscilla, 79
- Lepiotaceae, malate synthase activity in, 192, 193, 199
- Lesueur, Charles-Alexander, 260, 263
 curator of the Philadelphia Academy of Natural Sciences, 263
 geologic expeditions to the West Indies, 263
 New Harmony, his sketch of the cutoff at, 260
- Liberti, M., 233
- Lichen Flora of Hoosier Prairie State Nature Preserve*, 25
- Lichens at
 Hoosier Prairie State Nature Preserve, 25
 Indiana Dunes National Lakeshore, 25, 27
- Licorice, wild, an indicator of deer browsing in Brown County State Park, 42, 45
- Ligand-enhanced heavy metal dissolution mechanisms, 99
- Lilies, water, in Long Lake, northwestern Indiana, 58
- Limestone in the Brazil Formation, 105
 age, 109
 environment of deposition, 110
 marine influences on, 111
 shape and orientation, 110
- Limnology of Indiana
 alkalinity, 61
 Bass Lake, 54
 conductivity, 61
 East Grand Calumet Lagoons, 56
 electric potential, 62
 eutrophic status, 64
 fill, its effect on, 62
 Grand Calumet Lagoons, 56
 Indiana Dunes National Lakeshore, within four natural lakes in the, 53
 Indiana Lakes and Streams Survey, 54
 industrial waste, its effect on, 61
 Lake Maxinkuckee, 54, 64
 Lake Monroe, 292
 Little Lake, 56
 Long Lake, 56
 Middle Grand Calumet Lagoons, 56
 National Lake Eutrophication Survey, 54, 63
 north-central and northeastern Indiana, in, 63
 slag rock, its effect on, 59, 61
 thermal stratification, 63
- Lincoln State Park, deer reduction in, 217
- Lindera benzoin*, 270
- Linton Formation, 247
- Liriodendron tulipifera*, 202
- Little Calumet River, 58
- Little Lake
 alkalinity, 61
 allochthonous input, 59
 ammonia in, 62
 bathymetric map, 56, 58
 morphometric variables, 57, 58, 60
 thermal stratification, lack of, 59
- Loam, Genesee Silt, 2
- Long bean yield, 141
- Long Lake
 age, 58
 allochthonous input, 59
 ammonia in, 62
 bathymetric map, 56, 58
 hardness, 61
 morphometric variables, 57, 58, 60
 thermal stratification, lack of, 59
- Lonicera*
maackii
 control plan for, 5
 invasive exotic, 5
morrowii, 271
- Lower Block Coal Member, 105
- Lowland sandy areas in Crooked Creek Community Juan Solomon Park, 3, 4
- Lukscay, K., 95
- Lyell, Charles, Sir, visitor to New Harmony, 263, 264
- Lyons, Robert E., 118, 121, 125
- Macaque monkey
 arachnoid villi of, 169
 macrophages in, 172
- Maclure, William, 262, 263
 collection of, 264
 Father of American Geology, 263
 geologic expeditions to the West Indies, 263
 President of the Academy of Natural Sciences of Philadelphia, 263
- Macrophages in the arachnoid villi of
 humans, 172
 Macaque monkey, 172
 sheep, 172
- Madison County, Mounds State Park, 4
- Maidenhair fern, indicator of deer browsing in Brown County State Park, 42, 45
- Maize yield, 138, 141
- Malate synthase activity
 agarics, in light and dark spored, 191
 gilled mushrooms, valuable taxonomic characteristic of, 196, 198
 species and families examined for, 192
- Mallomonas* spp., 292, 293
- Management recommendations for
 exotics, 3, 5
 natural areas, 1, 3
- Mansfield Formation, 105
- Maple
 black, 202
 sugar, 202
 white-tailed deer, their effect on, 40
- Mapleleaf viburnum, 331
- Marion County, Crooked Creek Community Juan Solomon Park, 1

- Marshall County
 Conservation Reserve Program lands in, 208
 deer
 count in 1991, 205
 density in 1991, 206
 population size estimate in 1991, 206
 sex-age-kill estimates of deer population size, 206, 209
 snow cover in, 202
 Marshes and affected swamps in Posey County, 262
Maruca testulalis
 behavior affected by the trichome density of *Vigna vexillata*, 91
 feeding behavior affected by the trichome density of *Vigna unguiculata*, 92
 Massasauga, eastern (*Sistrurus catenatus catenatus*)
 distribution records, 327
 Fulton County, 327
 LaGrange County, 327
 Steuben County, 327
 Wabash County, 327
Massasauga in Indiana, The, 327
 Maternity colonies of the big brown bat (*Eptesicus fuscus*), 79, 82
 Mathers, Frank C., 114
 Maumee Terrace, 259
 eroding near New Harmony as a result of the Bull Island cutoff, 260
 origin of, 259
 site of New Harmony, 259, 260
 Maximilian of Wied, Prince, visitor to New Harmony, 263
 May apple, herbaceous dominant in
 Chain O'Lakes State Park, 226
 Clifty Falls State Park, 222
 McCormick's Creek State Park, 222
 Morgan-Monroe State Forest, 222
 Pokagon State Park, 226
 Potato Creek State Park, 226
 Shades State Park, 224
 Spring Mill State Park, 222
 State Parks of the Southwestern Lowlands Natural Region, 218
 Turkey Run State Park, 224
 Mays, Charles E., 175
 McCormick's Creek State Park
 deer browsing, its effect in, 216
 deer reduction in, 217
 plant species richness conspicuously lower in, 222
 woody stems per hectare significantly lower in, 222
 McKenzie, Rita, 79
 McLeansboro Group in Indiana, 247
 thickness, 251
 Mecca School, Parke County, big brown bat (*Eptesicus fuscus*) studied at, 79, 80
 Mecca Shale, flooding surface over the Colchester Coal, 250
 Melhorn, Wilton N., 253
Mertensia virginica, found in the mesic upland woods of Crooked Creek Community Juan Solomon Park, 4
 Mesic forest in northern Indiana, 202
 Mesic upland woods at Crooked Creek Community Juan Solomon Park, 3
 Metallurgical activities, one source of cadmium, chromium, nickel, and zinc soil contamination, 233
 Mexican bean beetle, foliar resistance of soybeans to, 86, 92
 Mice
 BALB/cAnHsd inbred strain, effect of sidestream smoke on, 176
 C57BL/6NHsd inbred strain, effect of sidestream smoke on, 176
 C3H/HeNHsd inbred strain, effect of sidestream smoke on, 176
 hybrids, effect of sidestream smoke on, 175, 176
 survivorship, the effect of genetic composition and sidestream smoke on pup, 175
 Michigan, chrysopter flora of, 291
 Middle Grand Calumet Lagoon
 allochthonous input, 59
 bathymetric map, 56, 58
 morphometric variables, 57, 58, 60
 thermal stratification, lack of, 59
 Millennialists, 259
 Miller Woods, 56
Mimulus ringus in the wetlands at Crooked Creek Community Juan Solomon Park, 4
 Mineral content of the leaves of the fluted pumpkin, 141, 142
 Minshall Coal Member, 105
 Monroe County
 physicochemical data for Lake Monroe, 292
 silica-scaled chrysopterites in Lake Monroe, 291
 Morgan-Monroe State Forest
 jack-in-the-pulpit, herbaceous dominant in, 224
 May apple, herbaceous dominant in, 224
 vegetation of, 222
 Morris, Charles, 53
 Morton Arboretum, 27
 Mottled sculpin, effect of male size on reproduction, 154
 Mounds State Park, plant communities of, 4
 Mount Vernon Trail to New Harmony, 261
 Mule deer, census in pinyon-juniper woodland in Colorado, 207
 Muncie, Indiana, trace metal contamination in, 234
 Mustard, flea beetle (*Phyllotreta cruciferae*) feeding on, 86
 Mustard, garlic, 1, 5
 control plan for, 5
Myriophyllum spicatum in Little Lake, northwestern Indiana, 58

- Narrow-leaved spleenwort, herbaceous dominant in Versailles State Park, 220
- National Lake Eutrophication Survey, 54, 63
- Natural areas, management recommendations for, 1, 3, 4, 5
- Natural Region
 Highland Rim, Brown County Hills Section, 41
 Northern Lakes, 202, 215, 224
 Northwestern Morainal, 25
 Lake Michigan Border Section, 54
 Tipton Till Plain, 2, 4
- Nettle, stinging, 3
- New Harmony
 Bull Island cutoff, endangered by erosion at the, 260
 corduroy road to, 261
 founding, 259
 gravel roads to, 261
 "Old Dam," 259
 "Old Fort," the granary that housed the geologic collection, 264
 overland transportation to, 260
 rope making at, 259
 setting, 259, 260
 site of grist mill, 259
- New Harmony, Indiana, A Century and a Half of Science and Engineering*, 257
- Nickel
 bioavailable contaminant in soils, 233, 242
 contamination
 distribution in the soil, 234
 electroplating, source of, 233
 fossil fuel combustion, result of, 233
 metallurgical activities, source of, 233
 Delaware County, Indiana
 contamination in the soils of, 233
 location of highest contamination levels in, 242, 243
 only trace metal contaminant found deep in soil, 242
- Nigeria, growth of the fluted pumpkin in, 135
- Nitrioltriactic acid
 extraction efficiency for lead as compared with that of EDTA, 100, 103
 used to extract lead and chromium from contaminated soil, 95
- Norman, Joseph, 299
- Northern Lakes Natural Region
 deer studies in the, 215
 forest cover, 202
 vegetation in the State Parks located in, 224
- Northwestern Morainal Natural Region
 Hoosier Prairie State Nature Preserve, 25
 Lake Michigan Border Section, 54
- Norvell, Lee, 120
- Norwood, Joseph Granville
 assistant to David Dale Owen, 264
 State Geologist of Illinois, 264
- Notes on a Winter Colony of Big Brown Bats at Williamsport, Warren County, Indiana*, 319
- NTA
 extraction efficiency for lead as compared to that of EDTA, 100, 103
 used to extract lead and chromium from contaminated soil, 95
- Nuphar* in Long Lake, northwestern Indiana, 58
- Nurtjahja, Kiki, 191
- Nymphaea* in Long Lake, northwestern Indiana, 58
- Oak
 black oak, 202
 chestnut oak dominant in the uplands of Brown County State Park, 41
 red oak, 202, 331
 dominant in the ravines of Brown County State Park, 41
 white oak, 202, 331
- Oak-hickory forest on the uplands of Brown County State Park, 41
- Oakville-Maumee-Brems Soils, 59
- Oatgrass, poverty, 331
- Odocoileus*
hemionus, census in the pinyon-juniper woodland of Colorado, 207
virginianus
 aerial population censusing, 201
 aerial surveys, recommendation for improving, 210
 carrying capacity, exceeding their, 213
 census in
 mesquite-mixed brush habitat in Texas, 206, 207
 Ohio, 207
 community structure, effect on, 213, 227, 229
 doe harvests, their effect on herd size, 201
 extirpated in Indiana, 213
 extirpation of plant species by, 228
 factors affecting presence or absence in woodlands, 209
 failure to observe, primary source of measurement error, 207
 foods, preferred, 40
 foraging strategy
 generalist, 40, 227
 optimization model of, 40
 selective, 40, 214, 227
 ground sampling, rules for, 208
 hunt, first modern, 40, 213
 hunting, effect on, 214
 Indiana State Parks, effect on plant communities in, 213, 226
 learned behavior in, 40
 number counted in
 Marshall County in 1991, 205
 Steuben County in
 1990, 204
 1991, 205

- Ohio, census in northern and western, 207
 plant communities, influence on, 39, 48
 plant species composition, effect on, 213, 227
 population density (in)
 forest cover available, related to, 203, 205
 Marshall County in 1991, 206
 Steuben County in
 1990, 206
 1991, 206
 population size estimate in
 Marshall County in 1991, 206
 Steuben County in
 1990, 205
 1991, 206
 reintroduction into Indiana, 213
 sex-age-kill population estimates, 201
 snow cover, its effect on aerial censusing, 202
 Texas, census in mesquite-mixed brush habitat, 206, 207
 yarding behavior in Indiana, 207
- Ohio River, 257
- “Old Dam” at New Harmony, 259
 formation of Ribeyre Island, 260
- “Old Fort,” Harmonist granary that housed the Maclure geologic collection, 264
- Olive, autumn, 331
 exotic, invasive, 331
- Onion yield, 138
- Onoclea sensibilis*, 270
- Oolites, 108
- Ophthalmologists, 128
- Optimization model of foraging by white-tailed deer, 40
- Orchidaceae, 271
- Ornithogalum umbellatum*, unusual herbaceous dominant in Shakamak State Park, 218
- Osborne, Randall E., 299
- Osmorhiza*
 claytonii, an indicator of deer browsing in Brown County State Park, 43, 45
 longistylis, 270
- Ossom, E.M., 135
- Ostrya virginiana*, 270
- Oulema melanopus*, effect of wheat leaf trichome density on oviposition, egg variability, larval survival, and behavior of, 86
- Overland transportation to New Harmony, 260
 Buffalo Trace, 261
 corduroy road, 261
 Mount Vernon Trail, 261
 Red Bank Trail, 261
- Owen
 David Dale, 263, 265
 assistant to Gerard Troost, 264
 State Geologist of
 Arkansas, 264
 Indiana, 264
 Kentucky, 264
 Richard, 263, 265
 Charter Member of the Indiana Academy of Science, 264
 coal resources of Indiana, studied, 264
 Colonel in the Union Army during the Civil War, 264
 Purdue University, first President of, 264
 sandstone resources of Indiana, studied, 264
 State Geologist of Indiana, 264
 Robert, 260, 262, 263, 265
- Packstones, 106, 107, 108, 111
- Painted sedge, dominant in the uplands of Brown County State Park, 41
- Palustrine wetlands, 58, 61
- Paraphysomonas*
 runcinifera, species new to North America, 297
 vestita, 292, 293
- Pardasena* sp. nr *diversipennis* feeding behavior on *Solanum coccineum*, 91
- Parke County, big brown bat (*Eptesicus fuscus*) observed at Mecca School, 79, 80
- Parker, George R., 39, 213
- Parthenocissus quinquefolia*, 270
 herbaceous dominant in
 Shades State Park, 224
 Turkey Run State Park, 224
- Partners, choice of, 299, 303, 305
- Passive smoking, see sidestream smoke
- Patty, Willard W., 128
- Pawpaw (*Asimina triloba*)
 Brown County State Park, in, 48
 not eaten by deer, 218
 sapling dominant in Harmonie State Park, 218
- Payne, Ferdinand, 129
- Pea, yield of pigeon, 139
- Peavine, pale vetchling (*Lathyrus ochroleucus*)
 characteristics, diagnostic, 330
 habitat of, 330
 range
 natural, 329
 original distribution in Indiana, 330
 southern limit, 329
 reported from
 Illinois, 329
 Indiana, northern, 329
 Michigan, 329
 Ohio, 330
 Wisconsin, 329
 status upgraded to endangered, 329, 331
 white-tailed deer, consumed by, 331
- Pennsylvanian System in
 Indiana, 247
 Posey County, 257
- Pennsylvania sedge, 272, 331
- Penticuff, Jim, 299

- Permafrost, road construction in areas of, 261
- Perot, Ross, 304
- Personnel selection, factors influencing, 299
- Perth Limestone Member, 105
- Petersburg Formation, 247
- Peters, Dennis, 131
- Petroleum, 264
- Phaseolus vulgaris*, yield of, 141
- Phenolic contamination, its effect on malate synthase activity, 191, 193
- Philadelphia Academy of Natural Sciences, 263
- Philanthropist*, 260, 263
- Phlox*
- divaricata*, 270
 - pilosa*, 331
- Phylloreta cruciferae*, feeding on
- mustard plants, 86
 - wild *Brassica*, 86
- Physcia millegrana*, common lichen at Hoosier Prairie State Nature Preserve, 27
- Physical and Chemical Limnology of Four Natural Lakes Located within the Indiana Dunes National Lakeshore, Northwestern Indiana*, 53
- Physical properties of soil that affect heavy metal mobility, 95, 96
- Pichtel, John, 95, 233
- Pigeon pea yield, 139
- Pinus edulis*, 207
- Pinyon-juniper woodland in Colorado, 207
- Pinyon pine, 207
- Pittman-Robertson Act, 39
- Plantago* spp., 271
- Plant communities in
- Crooked Creek Community Juan Solomon Park (map), 2
 - Mounds State Park, 4
- Plant density, effect on yield and mineral content of the fluted pumpkin, 135, 138, 139, 141
- Plant-Soil-Water Committee of the National Science Foundation, 253
- Plant species composition, effect of deer browsing on, 213
- Platanus occidentalis* in mesic upland woods in Crooked Creek Community Juan Solomon Park, 4
- Pleasant Run Unit of Hoosier National Forest, 42
- Poa*
- compressa*, 331
 - pratensis*, 271, 331
- Podophyllum peltatum*, herbaceous dominant in
- Chain O'Lakes State Park, 226
 - Clifty Falls State Park, 222
 - McCormick's Creek State Park, 222
 - Morgan-Monroe State Forest, 224
 - Pokagon State Park, 226
 - Potato Creek State Park, 226
 - Shades State Park, 224
 - Spring Mill State Park, 222
- State Parks of the Southwestern Lowlands Natural Region, 218
- Turkey Run State Park, 224
- Point source contamination, 234
- Poison ivy, 3
- Pokagon State Park
- deer
 - browsing, effect of, 216
 - numbers declining in, 214
 - reduction in, 217, 226
 - herbaceous cover significantly lower in, 224
 - woody stems significantly less per hectare at, 224
- Political choices, effect of self-monitoring on, 303, 305
- Polley, David, 33
- Polygonatum canaliculatum*, 331
- Polygonum*
- hydropiperoides* in lowland sandy areas in Crooked Creek Community Juan Solomon Park, 4
 - virginianum*, 270
- Polystichum acrostichoides*
- herbaceous dominant in
 - Shades State Park, 224
 - State Parks of the Southwestern Lowlands Natural Region, 218
 - Turkey Run State Park, 224
- indicator of deer browsing in Brown County State Park, 43, 45
- Pondweeds in Long Lake, northwestern Indiana, 58
- Popillia japonica*, 87
- Populus*
- deltoides*, plant of the mesic sand prairie openings at Hoosier Prairie State Nature Preserve, 25
 - tremuloides*, plant of the mesic sand prairie at Hoosier Prairie State Nature Preserve, 25
- Porter County, lichens of the Indiana Dunes National Lakeshore, 25, 27
- Posey County
- Big Creek drainage in, 257
 - depocenter of the Carbondale Group, 251
 - eolian deposits in, 262
 - farmland in, 262
 - fluvial deposits in, 262
 - gravel roads in, 261
 - Harmonie State Park, 262
 - horst and graben bedrock topography in, 257
 - Hovey Lake State Park, 262
 - Illinoisan till, 257
 - income in early, 259
 - limestones, distribution of subsurface, 110
 - marshes and swamps in, 262
 - New Harmony, 257
 - Pennsylvanian System in, 257
 - Poseyville, 259
 - site of, 259
 - Wabash Valley Fault System in, 257
 - Wisconsinan slack-water deposits in, 257

- Poseyville, site of, 259
- Potassium
channel genes in plants, 33
transport systems in *Chlamydomonas reinhardtii*, 33
- Potato Creek State Park
deer
numbers declining in, 214
reduction in, 217, 226
herbaceous cover significantly lower in, 224
species richness significantly lower in, 224
woody stems significantly less per hectare in, 224
- Potato leafhopper, effect of soybean trichome
density on, 92
length on, 92
- Potamogeton* in Long Lake, northwestern Indiana, 58
- Poverty oatgrass, 331
- Pox in the house finch, 75
- Prairie phlox, 331
- Precipitation in northwestern Indiana, 55
- Priming effect, 302
- Proton-enhanced heavy metal dissolution mechanisms, 99
- Providence Limestone, flooding surface over the Her-
rin Coal, 250
- Prunus serotina*, 270
- Pumpkin, fluted, 135
- Purdue University Agricultural Research Station, 309
- Purdue Water Resources Research Council, 255
- Pussy toes, 331
- Putnam County, big brown bat (*Eptesicus fuscus*)
observed at
Jamestown Church, 79, 80
Presbyterian Church in Roachdale, 79, 80, 83, 84
- Quercus*
alba, 269, 270, 202, 331
Crooked Creek Community Juan Solomon
Park, found in mesic upland woods in, 4
Hoosier Prairie State Nature Preserve, found
in dry savanna community in, 25
bicolor, 269, 270
macrocarpus, 269
muhlenbergii, 270
prinus, dominant in the uplands of Brown Coun-
ty State Park, 41
rubra, 202, 269, 270, 331
dominant in the ravines of Brown County State
Park, 41
velutina, 202, 269
Hoosier Prairie State Nature Preserve, found
in the dry savanna community at, 25
- Raccoon Creek Group, 105
Colchester Coal Member, top marked by the, 247
Indiana, in, 247
thickness in Indiana, 251
- Rae, W. Douglas, Rev., 131
- Rainfall
effect on
emergence of the big brown bat (*Eptesicus fus-
cus*), 83
yield of the fluted pumpkin, 137
northwestern Indiana, in, 55
- Rakow, Michelle, 79
- Ranunculus ficaria* subsp. *bulbifera*, new state record
at Crooked Creek Community Juan Solomon
Park, 4
- Rapp, George, founder of New Harmony, 259
- Red Bank Trail to New Harmony, 261
- Rediscovery of Lathyrus ochroleucus (Leguminosae)*
in Indiana, *The*, 329
- Redlip blenny, effect of male size on reproduction,
154
- Red oak, dominant in the ravines of Brown County
State Park, 41
- Removal of Lead and Chromium from Contaminat-
ed Soil: Column Studies*, 95
- Reproductive success in male spottail darters, 145
- Resource defense polygyny in
fantail darter, 146
johnny darter, 146
spottail darter, 145
tessellated darter, 145
waccamaw darter, 146
- Rhizobium* nodules on the soybean plant eaten by the
larvae of the bean leaf beetle (*Cerotoma trifurca-
ta*), 85
- Rhodophyllaceae, malate synthase activity in, 192,
193
- Rhykerd, C.L., 135
- Ribeyre Island, formed by Harmonist cut-off in the
Wabash River, 260
- Richness, species, in
Brown County State Park, 44
Hoosier National Forest, 44
Yellowwood State Forest, 44
- River bullhead, effect of male size on reproduction
in, 154
- Riverine wetlands, 61
- Roachdale Presbyterian Church, the big brown bat
(*Eptesicus fuscus*) observed at, 79, 80, 83, 84
- Robinson, Misty, 299
- Role descriptors, social, 299, 300, 301
- Rosa*
multiflora, 271
setigera, 271
- Rothrock, Paul E., 267
- Round-lobed hepatica, 331
- Rubus* spp., 271
- Ruch, Donald G., 191
- Rue anemone, 331
- Russulaceae, malate synthase activity in, 192, 193

- Saimiri sciureus*, 162
 arachnoid villi of, 161
 cerebrospinal fluid absorption in, 161
- Salix interior*, plant of the mesic sand prairie at Hoosier
 Prairie State Nature Preserve, 25
- Sanguinaria canadensis*, plant of the mesic upland
 woods of Crooked Creek Juan Solomon Park, 4
- Sanicula*
gregaria, 270
 spp., herbaceous dominants in
 Shades State Park, 224
 Turkey Run State Park, 224
- Sassafras albidum*, 331
- Sauvain, Harry, 126
- Say, Thomas, 263
 Father of American Entomology, 263
 Professor of Natural History at the University of
 Pennsylvania, 263
- Scanning and Transmission Electron Microscopic
 Study of the Arachnoid Villi in Squirrel Monkey
 in Relation to Cerebrospinal Fluid Absorption*,
 161
- Scheeringa, Kenneth L., 307
- Science at New Harmony, Indiana, 257
- Scotland Hotel, Greene County, big brown bat (*Eptesicus fuscus*) observed at, 79, 80
- Sculpin, mottled, effect of male size on reproduction,
 154
- Seasonal Flight Counts in Three Big Brown Bat (Eptesicus fuscus) Colonies*, 79
- Season as related to the emergence of the big brown
 bat (*Eptesicus fuscus*), 79
- Secondary maximum contaminant levels for water,
 62
- Sedge
 painted, dominant in the uplands of Brown County
 State Park, 41
 Pennsylvania, 331
 short-headed bracted, 331
- Seelyville Coal Member, 247
- Selective foraging by deer, 214
- Self, internal aspects of, 299, 300
- Self-monitoring tendency, 299
 gender, its effect on, 301
 high self-monitors, 299
 information processing strategy, 301, 302, 303,
 305
 low self-monitors, 299
 political choices, its influence on, 303, 305
 priming effect, 302
 scale, 301
- Self-referent effect, 303
- Self-relevant information, processing of, 299
- Self-Survey Committee, 119
- Setaria faberi*, 271
- Sex-age-kill deer population estimates in Indiana, 209
- Shades State Park, herbaceous dominants at, 224
- Shakamak State Park
 no deer reduction in 1997, 218
 Star-of-Bethlehem (*Ornithogalum umbellatum*),
 unusual herbaceous dominant in, 218
- Sheep, macrophages in the arachnoid granulations of,
 172
- Short-headed bracted sedge, 331
- Shriner, Ralph L., 123, 125
- Shuey, John, 327
- Shull
 Ernest M., 327
 James D., 327
- Sidestream smoke
 annual number of deaths due to, 176
 causative agent in
 children's respiratory diseases, 176
 heart disease, 176
 lung cancer, 176
 composition, 175
 effect
 mouse pup survivorship, on, 175, 179, 186
 sex of mouse tested, not related to, 186
 possible effect on women and their fetuses, 176
- Silica-Scaled Chrysophytes from Indiana. II*, 291
- Simon, Thomas P., 53
- Simons, Nathan D., 329
- Sistrurus catenatus catenatus* (eastern massasauga)
 distribution records, 327
 Fulton County, 327
 LaGrange County, 327
 Steuben County, 327
 Wabash County, 327
- Situational cues, 299
- Smilax*
ecirrhata, 270
rotundifolia
 dominant in the uplands of Brown County
 State Park, 41
 indicator of deer browsing in Brown County
 State Park, 43, 45
- Smoking
 deaths attributed to, 175
 fetus, effect on the, 176
- Smooth brome, 271, 331
- Snakeroot spp., herbaceous dominants in
 Shades State Park, 224
 Turkey Run State Park, 224
- Snow
 snow cover, its effect on the aerial censusing of
 deer populations, 202
 snow season near Lake Michigan, 55
- Social information, processing of, 299
- Soil contamination, methods of remediation
 excavation, 95
ex-situ and *in-situ* methods compared, 96, 103
 flushing *in-situ*, 95
 solidification/immobilization processes, 95
 washing *ex-situ*, 95

- Soil flushing
 removal of contaminants by, 95
 required amount of sand-sized particles in the soil, 97
- Soil pH, its effect on lead and chromium solubilization, 103
- Soil(s)
in-situ methods for removing contaminants from, 96
 as effective as *ex-situ* methods, 103
- Oakville-Maumee-Brems, 59
- pH in Indiana, 236
- trace metal contamination of, 233
- Typic Paleudult, 136
- washing
 contaminants, removal of by, 95
 required amount of sand-sized particles in the soil to carry out, 97
 water-holding ability in Indiana, 253
- Soil Science Section of the Indiana Academy of Science, 253
- Solanum coccineum*, caterpillar feeding behavior on, 91
- Solidago*
caesia, 270
canadensis, 271
flexicaulis, 270
- Solidification/immobilization processes for remediating soil contamination, 95
- Solomon's seal, 331
- Some Highlights of the Carbondale Group (Pennsylvanian) in the Subsurface of Indiana*, 247
- Southwestern Lowlands Natural Region
 deer studies in, 215
 dominant herbaceous species in the State Parks of, 218
 vegetation in the State Parks of, 218
- Soybean
Alternaria tenuissima, a secondary pathogen of, 85
 bean leaf beetle (*Certoma trifurcata*) feeding behavior on the pods of, 85, 90, 92
 bean pod mottle, its effect on, 85
 Mexican bean beetle (*Epilachna varivestis*), foliar resistance to, 86, 92
 potato leafhopper favored by high trichome density on, 92
 soybean pod borer (*Laspeyresia glycinivorella*), glabrous soybeans more resistant to, 92
- Sparks
 Meredith (Pleasant), 116
 William J., 116
- Sparrow, house
 factors affecting house sparrow population size, 74
 house finch's impact on, 67, 68
 impact of the house sparrow on the house finch, 75
- Spatial Distribution of Trace Metals in Delaware County, Indiana, Surface Soils*, 233
- Species detectability index (for the house finch), 69
- Spiniferomonas* spp., 292, 293
- Spiraea ulmaria*, variation in trichome density on the leaves of, 89
- Spottail darter, 145
 breeding season, 146
 brood size, 146, 153
 fractional spawning, 146
 male size and reproductive success, 147, 149, 152, 153, 154
 mate selection by females, 147, 153, 154
 nest site fidelity, 154
 nest size, its effect on reproduction, 147, 148, 149, 152, 154
 parasitism, 154
 reproduction, benefits of early, 155
 resource defense polygyny, 145
 sexual dimorphism in, 146
 size variation and the time of spawning, 150, 155
- Springfield Coal Member
 basin-wide marker, 248
 characteristics of (past and present), 248, 250
 flooding surface over, 247, 250, 251
 overlain by limestone, 248
 rivers through, 250
 sediments younger to the east, 250
 setting of, 250
 swamp's original size, 250
 time plain in the Illinois Basin, 250
- Spring Mill State Park
 deer browsing, effect in, 216
 overbrowsing, signs at, 229
 plant species richness significantly lower in, 222
- Squirrel monkey
 arachnoid villi of, 161
 cerebrospinal fluid absorption in, 161
- Stachys*
cordata, new Allen County record, 267, 272
nutallii, misidentified, 272
- Starke County, chemical and physical limnology of
 Bass Lake in, 54
- Stark's Military Academy, 114
- Star-of-Bethlehem, unusual herbaceous dominant in
 Shakamak State Park, 218
- State records, new
 chrysophytes from Lake Monroe, 293
Ranunculus ficaria subsp. *bulbifera* at Crooked Creek Community Juan Solomon Park, 4
Stachys cordata, new Allen County record, 267, 272
- Stauton Formation, 105, 247
- Stendal Limestone
 Hanover Limestone of Illinois, equivalent to, 250
 Houchin Creek Coal, flooding surface over the, 250

- Steuben County
 Conservation Reserve Program lands in, 208
 deer counted in
 1990, 204
 1991, 205
 deer population density in
 1990, 206
 1991, 206
 deer population size estimate in
 1990, 205
 1991, 206
Lathyrus ochroleucus (pale vetchling peavine)
 reported from, 329
 sex-age-kill deer population estimates in, 209
Sistrurus catenatus catenatus (eastern massasauga) reported from, 327
 snow cover in, 202
 Stinging nettle, 3
 Stout, Dean, 122
 Subsurface geology of
 southwestern Indiana, 105
 western Kentucky, 105
 Sugar maple
 dominant tree in the ravines of Brown County State Park, 41
 effect of browsing by white-tailed deer on, 40
 Sunflower
 woodland, 331
 yield, 141
 Survivorship, affected by genetic composition and sidestream smoke exposure in mice, 186, 187
 Sweet cicely, an indicator of deer browsing in Brown County State Park, 42, 43, 45
Synura spp., 292, 293
 Tar from cigarettes, its effect on DNA, 175
Telfairia occidentalis, 135
 Temperature
 emergence of the big brown bat (*Eptesicus fuscus*), its effect on the, 82
 northwestern Indiana, variation in, 55
 readings from central Indiana climatological stations
 Elwood, 310, 311, 312, 315
 Greencastle 1E, 310, 312, 315
 Greenfield, 311, 312, 315
 Indianapolis International Airport, 307, 312
 Kokomo 7SE, 310
 Perryville 4WNW, 310, 312, 315
 Terre Haute 8S, 310, 312, 315
 West Lafayette 6NW, 309, 310, 312, 315
 Whitestown, 307, 310, 312
 Tennessee, State Geologist of, 263
 Terre Haute, iron making near, 262
 Texas, deer censusing in mesquite-mixed brush habitat, 206
Thelypteris sp., 270
 Tidalites in Daviess County, 110
Tilia americana, 270
 Time required for big brown bats (*Eptesicus fuscus*) to exit a roost, 82
 Tippecanoe Valley High School, 327
 Tipton Till Plain Natural Region, 2, 4
 Tit, great, 74
 Tobacco yield, 141
Toxicodendron radicans, 271
 Trace metals
 atmospheric deposition of, 233
 contamination of soils by, 233
 danger to human health, 244
 Tradewater Formation, 106
 trait descriptors, internal, 299, 300, 301
 Trans-Alaska pipeline, construction of, 261
Trends in Indiana House Finch Counts: A Comparison of Indiana Audubon Society May, Summer, and Christmas Bird Counts, 1980-1995, 67
 Trenton Gas Field, 265
 Tricholomataceae, malate synthase activity in, 192, 193
 Trichome
 density
 chrysolimid beetle feeding behavior, its effect on, 86
 cowpea pods, on, 91
 genetic control over, 89
 heat load, its effect on, 89
 light absorbance, its effect on, 89
 soybean pods, on, 89, 90
 Spiraea ulmaria, variation in, 89
 surface area expansion, its effect on, 89
 wind movement, its effect on, 89
 length, its effect on potato leafhoppers feeding on soybeans, 92
Trichome Density Differences and Bean Leaf Beetle, Certoma trifurcata (Forster), Feeding Behavior on Soybean Pods, 85
Trifolium spp., 271
Trillium grandiflorum, 270
 TRK genes for potassium transport in *Chlamydomonas reinhardtii*, 33
 Troost, Gerard, 263, 264
 President of the Philadelphia Academy of Natural Sciences, 263
 State Geologist of Tennessee, 263
 Trophic index, 64
Tsuga canadensis, the effect of white-tailed deer on, 40, 50
 Tulip tree, 202
 Turkey Run State Park
 deer browsing, its effect in, 216
 herbaceous dominants in, 224
 Twinleaf, herbaceous dominant in Versailles State Park, 220
Typha in Little Lake, northwestern Indiana, 58
 Typic Paleudult Soil, 136

- Ulmus rubra*, 270
- Universal Limestone, possible flooding surface in the Illinois Basin, 250, 251
- University (Indiana) Singers, 131
- University of Science and Technology, Nigeria, 136
- University of St. Francis, 327
- Upland forest, 269
 - dry upland forest in northern Indiana, 202
 - mesic upland forest in Crooked Creek Community Juan Solomon Park, 3
- Upper Block Coal Member, 105
- Urticastrum divaricatum*, herbaceous dominant in McCormick's Creek State Park, 222
- Shades State Park, 224
- U.S. Army Corps of Engineers, 260
- Vanderburgh County
 - Brazil Formation limestones, 105
 - coal in, 257
 - distribution of subsurface limestone, 110
 - environment of deposition of limestones in, 110
- Vascular Flora of Fogwell Forest Nature Preserve, Allen County, Indiana*, 267
- Vascular plants, checklist for Fogwell Forest Nature Preserve, 274 ff.
- Velpen Limestone, flooding surface over the Colchester Coal, 250
- Versailles State Park
 - deer browsing, its effect in, 216
 - herbaceous plant dominants in, 220
 - woody stem density significantly less than in other State Parks, 218
- Viburnum*
 - acerifolium*, 331
 - prunifolium*, 270, 271
- Vicia* compared to *Lathyrus*, 330
- Vigna*
 - sesquipedalis*, yield of, 141
 - unguiculata*
 - effect if its trichome density on the larval feeding behavior of *Maruca testulalis*, 92
 - yield in Nigeria, 139
 - vexillata*, effect of its pod trichomes on the feeding behavior of the
 - legume pod-borer, *Maruca testulalis*, 92
 - pod-sucking bug, *Clavigralla tomentosicollis*, 91, 92
- Virginia creeper, herbaceous dominant in
 - Shades State Park, 224
 - Turkey Run State Park, 224
- Volvariaceae, malate synthase activity in, 192, 193
- Votaw, Verling, 132
- Wabash County, *Sistrurus catenatus catenatus* (eastern massasauga) reported from, 327
- Wabash Moraine, 268
- Wabash River, 257
 - Bull Island cutoff, 260
 - coal shipped on, 259, 262
 - fluvial deposits in Posey County, 262
 - limestone shipped on, 259, 261
 - meander scars in the valley of, 260
 - New Harmony, channeled to operate a gristmill at, 259
 - Ribeyre Island, formation of, 260
 - sandstone shipped on, 261
 - temporary outlet for the Great Lakes, 259
 - transportation and communications link, 259
 - unnavigable at New Harmony today, 260
- Wabash Valley Fault System, 257
 - age of, 257
 - oil associated with, 265
- Wackestones, 106, 107, 111
- Walker, George, 129
- Warren County
 - big brown bat (*Eptesicus fuscus*) winter colony in Williamsport, 319
 - Fall Creek Nature Preserve, 4
- Warrick County, coal in, 257
- Water
 - alkalinity of, 61
 - ammonia in, 62
 - brackish, 61
 - chloride in, 62
 - conductivity of, 61
 - electric potential of, 62
 - fresh, 61
 - secondary maximum contaminant levels for, 62
 - well, 61
- Water lilies in Long Lake, northwestern Indiana, 58
- Water Resources Study Commission (Indiana), 255
- Weather, its effect on the emergence of the big brown bat (*Eptesicus fuscus*), 79, 82
- Webster, C.R., 213
- Weeks, Harmon P., Jr., 201
- Weiss, Ronald, 67
- Welcher, Frank J., 118
- Wells, Herman B., 4
 - Dean of the Faculties, formulates the duties of the, 120
 - Education and Cultural Branch of the United States Military Government in Germany, serves in, 129
 - Graduate School, 129
 - Herman T. Briscoe
 - Consultant to the President, 130
 - eulogy for, 131
 - funeral of, 131
 - Special Assistant to the President, appointed, 121
 - President of the University, becomes, 121
 - Self-Survey Committee, appoints, 119, 120
- West Beach, ponds of, 56

Wetlands

- Crooked Creek Community Juan Solomon Park, in, 4
- limnology of
 - depressional wetlands, 54
 - palustrine wetlands, 58, 61
 - riverine wetlands, 56

Wheat

- leaf trichome density and its effect on cereal leaf beetle (*Oulema melanopus*) oviposition, egg viability, larval survival, and behavior, 86
- yield, 138

Whitaker, John O., Jr., 79, 319

White ash, 331

- Brown County State Park, dominant in the ravines of, 41

White-tailed deer

- aerial population censusing, 201
 - recommendations for improving, 210
- Allegheny Plateau, browsing on, 50
- carrying capacity, exceeding their, 213
- carrying capacity in
 - Brown County State Park, 49
 - Hoosier National Forest, 49
 - Yellowwood State Forest, 49
- community structure, their effect on plant, 213, 227, 229
- doe harvest rates, their effect on herd size, 201
- extirpated in Indiana, 213
- factors affecting the presence or absence in woodlands, 209
- first modern hunt, 40, 213
- foods, preferred, 40
- foraging strategy
 - generalist, 40, 227
 - optimization model for, 40
 - selective, 40, 214, 227
- ground sampling, rules for, 208
- hunting, its effect on, 214
- influence on forest communities, 39, 48
- Lathyrus ochroleucus* consumed by, 331
- learned behavior, 40
- Marshall County
 - number counted in 1991, 205
 - population density in 1991, 206
 - population size estimate in 1991, 206
- Ohio, census in, 207
- plant communities, their effect on, 213, 226
- plant community structure, their effect on, 213, 227, 229
- plant species
 - composition, their effect on, 213, 227, 228
 - extirpation (local) in Indiana, 228
- population density related to forest cover available, 203, 205
- primary source of measurement error is failure to observe, 207
- reintroduced into Indiana, 213

- sex-age-kill population estimates, 201
- snow cover, its effect on counting, 202

Steuben County

- number counted in
 - 1990, 204
 - 1991, 205
- population density in
 - 1990, 206
 - 1991, 206
- population size estimate in
 - 1990, 205
 - 1991, 206

Texas, census in the mesquite-mixed brush habitat in, 206, 207

yarding behavior in Indiana, 207

Whitewater State Park

- garlic mustard, an herbaceous dominant in, 220, 222
- woody stem density significantly less than at other State Parks in the Bluegrass Natural Region, 218

Wiersma

- Bruce John, 255
- Dan, 253 ff.
- Daniel John, 255
- Esther (Sydow), 255

Wild ginger, herbaceous dominant in

- Clifty Falls State Park, 222
- McCormick's Creek State Park, 222
- Spring Mill State Park, 222
- Versailles State Park, 220

Wild licorice, an indicator of deer browsing in Brown County State Park, 42, 45

Williamsport, Warren County, big brown bat (*Eptesicus fuscus*) winter colony at, 319

Willkie, Wendell L., 114

Wind, the effect of prevailing wind direction on trace metal deposition, 233

Wintercreeper, 1, 5

- control plan for, 5
- Crooked Creek Community Juan Solomon Park, found in the mesic woods at, 5

Wisconsinan glaciation

- Eric Lobe, 269
- Slack-water deposits, 257
- Wabash Moraine, 268

Wisconsin, effect of white-tailed deer on

- hemlock in eastern, 40
- sugar maple in eastern, 40

Woodland sunflower, 331

Wood nettle, herbaceous dominant at

- McCormick's Creek State Park, 222
- Shades State Park, 224

Woods, mesic upland woods at Crooked Creek Community Juan Solomon Park, 3

Wright, Wendell W., 119, 128, 129

Wujek, Daniel E., 291

Yam, 135

Yarding behavior in deer, 207

Yellowwood State Forest

carrying capacity of deer habitat, 49

jack-in-the-pulpit, an herbaceous dominant at, 224

species richness of the

ground flora, 44

woody species, 46

vegetation of, 222

Yield, effect of plant density in, 135

cauliflower, 141

common bean, 141

cowpea, 139

long bean, 141

maize, 138, 141

onion, 138

pigeon pea, 139

sunflower, 141

tobacco, 141

wheat, 138

Zea mays yield, 141

Zinc

bioavailable contaminant in soils, 233, 239

concentrations in the soils of northwestern Indiana, 239

contamination as a result of

automobile manufacturing and upkeep, 233

electroplating, 233

fossil fuel combustion, 233

metallurgical activities, 233

Delaware County, Indiana

contamination in the soils of, 233

distribution of contamination in the soils of,
234

highest concentrations in, 239, 241

global baseline concentrations in the soil, 239

GEOLOGY

J.B. Droste and A.S. Horowitz. SOME HIGHLIGHTS OF THE CARBONDALE GROUP (PENNSYLVANIAN) IN THE SUBSURFACE IN INDIANA..... 247

HISTORY OF SCIENCE

J.W. Delleur and W.N. Melhorn. DAN WIERSMA, PIONEER AGRONOMIST 253

N.I. Johansen. NEW HARMONY, INDIANA, A CENTURY AND A HALF OF SCIENCE AND ENGINEERING 257

PLANT SYSTEMATICS AND BIODIVERSITY

P.E. Rothrock. THE VASCULAR FLORA OF FOGWELL FOREST NATURE PRESERVE, ALLEN COUNTY, INDIANA.....267

D.E. Wujek and G.A. Bechtel. SILICA-SCALED CHRYSOPHYTES FROM INDIANA. II..... 291

PSYCHOLOGY

R.E. Osborne, J. Penticuff, J. Norman, and M. Robinson. I AM! THEREFORE, I VOTE! SELF-MONITORING AND 1996 PRESIDENTIAL VOTING CHOICES 299

SOIL AND ATMOSPHERIC SCIENCES

R.F. Dale and K.L. Scheeringa. DO INDIANAPOLIS AIRPORT TEMPERATURES REPRESENT INDIANA'S ENERGY NEEDS?..... 307

ZOOLOGY

J.O. Whitaker, Jr. NOTES ON A WINTER COLONY OF BIG BROWN BATS AT WILLIAMSPORT, WARREN COUNTY, INDIANA..... 319

RESEARCH NOTES

E.M. Shull. THE MASSASAUGA IN INDIANA 327

N.D. Simons and E.P. Ellingson. THE REDISCOVERY OF LATHYRUS OCHROLEUCUS (LEGUMINOSAE) IN INDIANA..... 329

MANUSCRIPT REVIEWERS..... 333

INDEX 335

**PROCEEDINGS OF THE
INDIANA ACADEMY OF SCIENCE**

Volume 106, No. 3-4 (1997)

CONTENTS

BIOMEDICAL

- M.S. Jarial. SCANNING AND TRANSMISSION ELECTRON
MICROSCOPIC STUDY OF THE ARACHNOID VILLI IN
SQUIRREL MONKEY IN RELATION TO CEREBROSPINAL
FLUID ABSORPTION 161
- C.E. Mays, J.J. DeJongh, and E.A. Hellmann. GENETIC AND
ENVIRONMENTAL EFFECTS OF SIDESTREAM SMOKE
ON PUP SURVIVORSHIP OF THREE INBRED STRAINS
OF MICE..... 175

BOTANY

- D.G. Ruch, K. Nurtjahja, and K.S. Badger. THE DIFFERENCE
BETWEEN MALATE SYNTHASE SPECIFIC ACTIVITY
OF LIGHT AND DARK SPORED AGARICS IS NOT
DUE TO PHENOLIC CONTAMINATION 191

ECOLOGY

- S.J. Burgdorf and H.P. Weeks, Jr. AERIAL CENSUSING OF
WHITE-TAILED DEER AND COMPARISON TO
SEX-AGE-KILL POPULATION ESTIMATES IN
NORTHERN INDIANA 201
- C.R. Webster and G.R. Parker. THE EFFECTS OF
WHITE-TAILED DEER ON PLANT COMMUNITIES
WITHIN INDIANA STATE PARKS 213

ENVIRONMENTAL QUALITY

- M. Liberti and J. Pichtel. SPATIAL DISTRIBUTION OF TRACE
METALS IN DELAWARE COUNTY, INDIANA,
SURFACE SOILS 233